

Understanding Percutaneous Endoscopic Gastrostomy

What is a PEG?


PEG stands for percutaneous endoscopic gastrostomy, a procedure in which a flexible feeding tube is placed through the abdominal wall and into the stomach. PEG allows nutrition, fluids and/or medications to be put directly into the stomach, bypassing the mouth and esophagus. This brochure will give you a basic understanding of the procedure—how it is performed, how it can help, and what side effects you might experience.

How is the PEG performed?

Your doctor will use a lighted flexible tube called an endoscope to guide the creation of a small opening through the skin of the upper abdomen and directly into the stomach. This procedure allows the doctor to place and secure a feeding tube into the stomach. Patients generally receive an intravenous sedative and local anesthesia, and an antibiotic is given by vein prior to the procedure. Patients can usually go home the day of the procedure or the next day.

Who can benefit from a PEG?

Patients who have difficulty swallowing, problems with their appetite or an inability to take adequate nutrition through the mouth can benefit from this procedure.



How should I care for the PEG tube?

A dressing will be placed on the PEG site following the procedure. This dressing is usually removed after one or two days. After that you should clean the site once a day with diluted soap and water and keep the site dry between cleansings. No special dressing or covering is needed.

How are feedings given? Can I still eat and drink?

Specialized liquid nutrition, as well as fluids, can be given through the PEG tube. If the PEG tube is placed because

f.y.i.

PEG may be recommended for patients who have difficulty swallowing or an inability to take adequate nutrition through the mouth.

of swallowing difficulty (e.g., after a stroke), there will still be restrictions on oral intake. Although a few PEG patients may continue to eat or drink after the procedure, this is a very important issue to discuss with your physician.

Because PEG treatments are based on the individual patient's condition and the doctor's professional judgment, you're likely to have questions that are not answered in this brochure. Your doctor will be happy to discuss your unique situation and answer all your questions.

Are there complications from PEG placement?

Complications can occur with the PEG placement. Possible complications include pain at the PEG site, leakage of stomach contents around the tube site and dislodgment or malfunction of the tube. Possible complications include infection of the PEG site, aspiration (inhalation) of stomach contents into the lungs), bleeding and perforation

(an unwanted hole in the bowel wall). Your doctor can describe symptoms to watch for that could indicate a possible complication.

How long do these tubes last? How are they removed?


PEG tubes can last for months or years. However, because they can break down or become clogged over extended periods of time, they might need to be replaced. Your doctor can easily remove or replace a tube without sedatives or anesthesia, although your doctor might opt to use sedation and endoscopy in some cases. Your doctor will remove the tube using firm traction and will either insert a new tube or let the opening close if no replacement is needed. PEG sites close quickly once the tube is removed, so accidental dislodgment requires immediate attention.



In preparation for PEG, an endoscope—a lighted flexible tube manipulated by a handle—guides the creation of a small opening through the skin of the upper abdomen and directly into the stomach.

This information is intended only to provide general guidance. It does not provide definitive medical advice. It is important that you consult your doctor about your specific condition.

Since its founding in 1941, the American Society for Gastrointestinal Endoscopy (ASGE) has been dedicated to advancing patient care and digestive health by promoting excellence in gastrointestinal endoscopy. ASGE, with more than 11,000 members worldwide, promotes the highest standards for endoscopic training and practice, fosters endoscopic research, and is the foremost resource for endoscopic education. This information is the opinion of and provided by the American Society for Gastrointestinal Endoscopy.



Copyright © 2010. American Society for Gastrointestinal Endoscopy. All rights reserved. This information may not be reproduced without express written permission by ASGE. For permission requests, please contact the ASGE Communications Department at 630-673-0600.

Notes or questions:

A series of horizontal lines provided for taking notes or questions.